EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp

| S1 | 100 | (("20040004995") or ("20030189988") or ("20010018719") or ("20050207519") or ("5548108") or ("4310840") or ("20040141573") or ("4710923") or ("5146473") or ("5790592") or ("5544140") or ("6088385") or ("5673291") or ("6542452") or ("5694434") or ("6618431") or ("6236283") or ("7092438") or ("20030143951") or ("20010047434") or ("20050124330") or ("20030138040") or ("7039000") or ("20030179737") or ("20030112743") or ("20050207483") or ("20050219213") or ("20070121748") or ("20050281281") or ("5745792") or ("4005423") or ("6108720") or ("4364397") or ("6167133") or ("5138440") or ("6209041") or ("6404357") or ("6284963") or ("20020031099") or ("6460161") or ("20040071199") or ("6490676") or ("20060008180") or ("6650694") or ("20070083685") or ("6701341") or ("6122703") or ("6791556") or ("6401162") or ("6834074") or ("6530059") or ("7139707") or ("6580771") or ("20010023634") or ("6624767") or ("20020176489") or ("6912244") or ("20030043159") or ("6985516") or ("20040047405") or ("7010016") or ("7002934") or ("7167531") or ("5222101") or ("7190749") or ("4706263") or ("20060215777") or ("4707841") or ("20070025424") or ("5311545") or ("20070040704") or ("5394437") or ("20070111664") or ("5539730") or ("5497153") or ("5550869") or ("5714950") or ("5625828") or ("6084883") or ("5666378") or ("5020080") or ("5878088") or ("5418778") or ("5930296") or ("5892980") or ("6075814") or ("6032033") or ("6122246") or ("6425091") or ("6128357") or ("6621876") or ("6317473") or ("6704324") or ("6369857") or ("6724851") or ("6393049") or ("20020122467") or ("6502138") | US-PGPUB; USPAT | OR | OFF | 2007/06/12 11:04 |

S2	5	(("6795489") or ("6853839") or ("6985516") or ("20020176489") or ("20040165567")).PN.	US-PGPUB; USPAT	OR	OFF	2007/06/14 13:18
S3	2	(("6496795") or ("6603801")).PN.	US-PGPUB; USPAT	OR	OFF	2007/06/14 15:58
S4	1629	710/52.ccls. AND (@ay<="2002" OR @rlad<="20020703")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 11:05
S5	95	710/52.ccls. AND (@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 signal) AND (plurality NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 12:42
S6	5	(("6985516") or ("20040165567") or ("6853839") or ("20020176489") or ("6795489")).PN.	US-PGPUB; USPAT	OR	OFF	2007/06/12 12:32
S7	15	(@ay<="2002" OR @rlad<="20020703") AND (sample AND symbol) SAME (three WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 13:43
S8	3	(@ay<="2002" OR @rlad<="20020703") AND (sample AND symbol) SAME (triple NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 13:48
S9	3	(@ay<="2002" OR @rlad<="20020703") AND (sample AND symbol) SAME ((triple OR "ping pong") NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 13:50
S10	0	(@ay<="2002" OR @rlad<="20020703") AND (sample AND symbol) SAME ("ping pong" NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 13:50

S11	696	(@ay<="2002" OR @rlad<="20020703") AND ("ping pong" NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 13:54
S12	352	(@ay<="2002" OR @rlad<="20020703") AND (sample OR symbol) AND ("ping pong" NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 13:54
S13	51	(@ay<="2002" OR @rlad<="20020703") AND (sample OR symbol) SAME ("ping pong" NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 14:10
S14	8	(@ay<="2002" OR @rlad<="20020703") AND digital NEAR5 communication AND (sample OR symbol) SAME ("ping pong" NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 14:10
S15	8	(@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME ("ping pong" NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 14:25
S16	0	(@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (three OR five) WITH ("ping pong" NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 14:26
S17	230	(@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (three OR five) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 14:36
S18	490	(@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (first AND second) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 14:37

S19	86	(@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (first AND second AND third) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 16:54
S20	1	(@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (triple OR quintuple) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 09:51
S21	6	(@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND process$3 WITH (sample OR symbol) SAME (first AND second) WITH buffer AND (receiv$3 WITH third WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 16:59
S22	33	(@ay<="2002" OR @rlad<="20020703") AND process$3 WITH (sample OR symbol) SAME (first AND second) WITH buffer AND (receiv$3 WITH third WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 17:11
S23	1290	(@ay<="2002" OR @rlad<="20020703") AND (sample OR symbol) SAME (five OR quintuple) NEAR5 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 17:14
S24	79	(@ay<="2002" OR @rlad<="20020703") AND (sample OR symbol) SAME fifth NEAR5 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 17:14
S25	0	(@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (triple OR quintuple) WITH buffer AND multi$path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 09:51
S26	6	(@ay<="2002" OR @rlad<="20020703") AND (triple OR quintuple) WITH buffer AND multi$path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 09:52

S27	7	(@ay<="2002" OR @rlad<="20020703") AND (triple OR quintuple) WITH buffer AND ((turn$3 ADJ off) OR shut$down OR disable) WITH receiver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 09:24
S28	12731	(@ay<="2002" OR @rlad<="20020703") AND (five OR quintuple) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR'	ON	2007/06/13 12:27
S29	9428	(@ay<="2002" OR @rlad<="20020703") AND (five OR quintuple) WITH buffer AND (sample OR symbol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 12:27
S30	57	(@ay<="2002" OR @rlad<="20020703") AND (five OR quintuple) WITH buffer AND (sample OR symbol) AND multi$path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:31
S31	89	(@ay<="2002" OR @rlad<="20020703") AND overflow WITH buffer AND (sample OR symbol) AND multi$path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:52
S32	59	(@ay<="2002" OR @rlad<="20020703") AND three WITH overflow NEAR5 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 14:04
S33	8	(@ay<="2002" OR @rlad<="20020703") AND three WITH "overflow buffer"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 14:04
S34	80	(@ay<="2002" OR @rlad<="20020703") AND scalable NEAR3 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 14:24

S35	294	(@ay<="2002" OR @rlad<="20020703") AND circular NEAR3 buffer SAME (five OR quintuple)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 14:24
S36	209	(@ay<="2002" OR @rlad<="20020703") AND circular NEAR3 buffer SAME (five OR quintuple) AND (sample OR symbol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 14:25
S37	67	(@ay<="2002" OR @rlad<="20020703") AND circular NEAR3 buffer WITH (five OR quintuple) AND (sample OR symbol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:30
S38	2012	(@ay<="2002" OR @rlad<="20020703") AND buffer AND ((turn$3 ADJ off) OR shut$down OR disable) WITH receiver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:44
S39	2534	(@ay<="2002" OR @rlad<="20020703") AND buffer AND ((turn$3 ADJ off) OR shut$down OR disabl$3 OR stop$4) NEAR5 receiver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 09:33
S40	171	(@ay<="2002" OR @rlad<="20020703") AND plurality NEAR5 buffer AND ((turn$3 ADJ off) OR shut$down OR disabl$3 OR stop$4) NEAR5 receiver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:26
S41	54	(@ay<="2002" OR @rlad<="20020703") AND process$3 WITH buffer SAME ((turn$3 ADJ off) OR shut$down OR disabl$3 OR stop$4) NEAR5 receiver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 09:47
S42	6	(("6795489") or ("6853839") or ("6985516") or ("20020176489") or ("20040165567") or ("6714527")).PN.	US-PGPUB; USPAT	OR	OFF	2007/06/14 13:18

S43	0	(@ay<="2002" OR @rlad<="20020703") AND "ping pong" NEAR3 buffer WITH (five OR quintuple) AND (sample OR symbol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:30
S44	0	(@ay<="2002" OR @rlad<="20020703") AND "ping pong" NEAR3 buffer WITH (five OR quintuple)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:50
S45	150201	(@ay<="2002" OR @rlad<="20020703") AND buffer AND random	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:51
S46	34122	(@ay<="2002" OR @rlad<="20020703") AND buffer AND random NEAR5 (us$3 OR operation)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:58
S47	1837	(@ay<="2002" OR @rlad<="20020703") AND buffer AND random NEAR5 (use OR usage)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:58
S48	128	(@ay<="2002" OR @rlad<="20020703") AND buffer WITH random NEAR5 (use OR usage)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:59
S49	28780	(@ay<="2002" OR @rlad<="20020703") AND buffer WITH ((turn$3 ADJ off) OR shut$down OR disabl$3 OR stop$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:27
S50	11159	(@ay<="2002" OR @rlad<="20020703") AND buffer WITH ((turn$3 ADJ off) OR shut$down OR disabl$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:27

S51	2119	(@ay<="2002" OR @rlad<="20020703") AND buffer WITH ((turn$3 ADJ off) OR shut$down OR disabl$3) SAME power	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:28
S52	431	(@ay<="2002" OR @rlad<="20020703") AND buffer WITH ((turn$3 ADJ off) OR shut$down OR disabl$3) SAME (complete OR finish)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:29
S53	152	(@ay<="2002" OR @rlad<="20020703") AND buffer WITH ((turn$3 ADJ off) OR shut$down OR disabl$3) WITH (complete OR finish)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:31
S54	11141	(@ay<="2002" OR @rlad<="20020703") AND buffer WITH ((turn$3 ADJ off) OR (shut$3 ADJ down) OR disabl$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:31
S55	0	(@ay<="2002" OR @rlad<="20020703") AND buffer WITH ((turn$3 ADJ off) OR (shut$3 ADJ down) OR disabl$3) WITH (disuse OR "not in use")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:32
S56	0	(@ay<="2002" OR @rlad<="20020703") AND buffer WITH ((turn$3 ADJ off) OR (shut$3 ADJ down) OR disabl$3) WITH "not in use"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:32
S57	0	(@ay<="2002" OR @rlad<="20020703") AND buffer WITH ((turn$3 ADJ off) OR (shut$3 ADJ down) OR disabl$3) WITH disuse	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:32
S58	1248617	(@ay<="2002" OR @rlad<="20020703") AND buffer NAER5 ((turn$3 ADJ off) OR (shut$3 ADJ down) OR disabl$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:32

S59	6786	(@ay<="2002" OR @rlad<="20020703") AND buffer NEAR5 ((turn$3 ADJ off) OR (shut$3 ADJ down) OR disabl$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:34
S60	695	(@ay<="2002" OR @rlad<="20020703") AND buffer NEAR5 ((turn$3 ADJ off) OR (shut$3 ADJ down) OR disabl$3) WITH power	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:34
S61	5	(@ay<="2002" OR @rlad<="20020703") AND buffer NEAR5 overflow SAME ((turn$3 ADJ off) OR shut$down OR disable) WITH receiver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:45
S62	1927	(@ay<="2002" OR @rlad<="20020703") AND ((turn$3 ADJ off) OR shut$down OR disable) WITH receiver WITH power	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:45
S63	2	(("6650140") or ("6615307")).PN.	US-PGPUB; USPAT	OR	OFF	2007/06/14 15:59